

Introducing The DigiPoS IT1500





DigiPoS IT1500: All-in-One Touch PoS System

Introducing the DigiPoS IT1500...

DigiPoS Store Solutions have been at the forefront of Retail Technology for over twelve years bringing the product and support demanded by Retailers and related service industries. Over the past eight years the award-winning technology team have been behind worldclass products such as the PowerPoS and Retail Blade. Expanding the range, the DigiPoS IT1500 is a further landmark in the development of designed for Retail Technology.

The DigiPos IT1500 is the integrated, easy to maintain and costs effective solution for the Hospitality, Leisure and Retail environments.

In addition to high performance components the system demonstrates a robust design suited to the high intensity use of the sectors it is positioned to service.

The easy to access hard drive and CD-ROM builds on the key design principles that shape all DigiPos technology solutions namely, low cost of ownership, flexibility and product features that demonstrate a clear understanding of how the system will be used.

Security is covered by the IT1500 by the lockable front panel, whilst four USB ports (2 front and 2 rear) give exceptional functionality where its needed and the whole system can easily adopt a customer display or secondary LCD display if required. The DigiPos IT1500 represents the optimum price-performance of any system in its class and with a full 3 Year Warranty delivers exceptional value.

“The IT1500 is integrated technology for hospitality and retail at its very best”





The facts

The DigiPoS Integrated Touch IT1500 is the new innovative semi-integrated touchscreen Point of Sale system with a stylish design – designed specifically for the retail, hospitality and leisure markets.

It features advanced technology based on the similar ease and functionality of the DigiPoS Retail Blade™ technology. This systems outstanding reliability and simple design allow for secured, yet easy access to internal components. It utilises Intel processing power for high-performance demands and can endure the knocks and spills of harsh operating environments.

“Already packed with features the IT1500 has options for additional displays and compact flash”

While conserving valuable counter space, the 15.1" TFT LCD Panel Display offers wide angle adjustment for true visibility. With the added option of the 10.4" LCD display retailers can enhance the customer experience – providing in-store advertisements and special offers.

Alternatively the Standard 2 line/20 character Rear Customer display is available.

The features

- Advanced technology based on the similar ease of use and functionality DigiPoS Retail Blade™
- Easily accessible internal HDD/CD-ROM (No tools required)
- Two front accessible USB ports, two in rear
- Lockable front panel for security
- 15" Thin Bezel Resistive Touch Monitor
- 3 Year Warranty
- Intel processing power for high performance
- Small footprint, conserving valuable counter space

The options

- Compact Flash option
- 10.4" LCD display gives retailers the opportunity to enhance the customer experience
- Standard 2 line/20 character Rear Customer display is also available
- Easily integrated with a Customer Display or Secondary LCD Display

DIGIPOS IT1500

THE FACTS, THE FEATURES & THE SPECIFICATION

The specification

Mainboard CPU	Celeron 2.0GHz (FSB400), Pentium M 1.6GHz (FSB533) or Pentium M 1.86GHz (FSB533)
Display Model	15" colour TFT, 1024 x 768, 250 nits
Core Chipset	Intel 852GM/ICH4
Display	4 X AGP LCD/VGA controller, advanced hardware 2D/3D GUI engine Sharing memory architecture up to 64MB
System Memory	1 x 184 pin supporting DDR up to 1GB
L2 Cache	CPU built-in
Audio	MIC-in, Speaker-out (front access)
Speakers	Internal speakers x 2
Drive Bay	1 x 3.5" HDD 1 x Slim CD-ROM or equivalent device 1 x Compact Flash slot (optional)
Ethernet	100/10 Base-T PnP Ethernet with RJ-45 Support Wake-on-LAN
Panel PCI/O	(Accessible inside Kiosk Cabinet) Serial Ports x 4, COM 1,2 & 4 with +5V/12V power output on pin 9, COM 3 is internal type reserved for touch screen, optional COM 5 1 x Parallel Port x 1: supports SPP/EPP/ECP PS/2 Mouse Interface 1 x PS/2 Keyboard Interface USB 2.0 x 4 (2 front & 2 rear access) 1 x VGA Interface Cash Drawer RJ-11 with 12V power output
Power Supply	ATX 120W, input range: 100~240V
Touchscreen	15.0" resistive type with RS-232 controller
Dimensions	379mm x 312mm x 358 mm (without second display) 379mm x 312mm x 408 mm (with second display)
Peripheral Devices	Slim type CD-ROM MSR: Magnetic card reader, swipe type, track I, II & III, KB wedge Customer Display (VFD): 20*2 lines RS-232 interface Customer Display (VFD) w pole: 20*2 lines RS-232 interface Second display: 10.4" LCD monitor Dallas i-Button w receptacle and magnetic key CF socket: CF function COM5: USB to COM5
Stand	Tilt angle: 5°~80° front/back, swivels left/right 5°

DigiPoS Store Solutions

Egegårdsvej 66, DK-2610 Rødovre, Denmark
Tel: +45 702 783 00 Fax: +45 702 783 01
www.digipos-solutions.com

DigiPoS Store Solutions

Vestvollveien 8A, Postboks 186,
N-2021 Skedsmokorset, Norway
Tel: +47 64 836 700 Fax: +47 64 836 701
www.digipos-solutions.com

DigiPoS Store Solutions

Kankurinkatu 4-6, FIN-05800 Hyvinkää, Finland
Tel: +358 19 8712 330 Fax: +358 19 8712 333
www.digipos-solutions.com

DigiPoS Store Solutions

P.O. Box 4005, Solna Strandväg 14,
SE-171 04 Solna, Sweden
Tel: +46 8505 561 00 Fax: +46 8505 561 01
www.digipos-solutions.com